

From: [Moore, Gary](#)
To: ["Lara, Alex"](#)
Subject: RE: FJ Doyle Salvage Removal - 02 December 2018 confirmation samples
Date: Friday, December 07, 2018 9:53:31 AM
Attachments: [12.08.18 frankjdoyle_polrep_2\(draft\).pdf](#)

Hey could you check out Polrep 2 and give me your comments. If you have things that you think I should add, please let me know.

From: Lara, Alex <Alex.Lara@WestonSolutions.com>
Sent: Friday, December 07, 2018 9:33 AM
To: Moore, Gary <Moore.Gary@epa.gov>
Subject: RE: FJ Doyle Salvage Removal - 02 December 2018 confirmation samples

The sample and sample ID are correct at 12 inches. Tom's table had it at 6 inches for some reason. I will tell him to change it, so technically I did correct haha

Alejandro Lara Jr.
Project Scientist – START Team

From: Lara, Alex
Sent: Thursday, December 6, 2018 5:29 PM
To: Moore, Gary <Moore.Gary@epa.gov>
Subject: Re: FJ Doyle Salvage Removal - 02 December 2018 confirmation samples

You're right, we did dig it to 12 inches. I forgot to change it since I had it pre- written. I'll contact the lab and Tom to see how we can correct that.

Alex Lara
Project Scientist
Weston Solutions

Sent from my Verizon, Samsung Galaxy smartphone

----- Original message -----

From: "Moore, Gary" <Moore.Gary@epa.gov>
Date: 12/6/18 17:24 (GMT-06:00)
To: "Lara, Alex" <Alex.Lara@WestonSolutions.com>
Subject: RE: FJ Doyle Salvage Removal - 02 December 2018 confirmation samples

**** External Email ****

Alex:

Are you sure the depth for FJD09-03 was 6 inches? I thought we did all of those at 12 inches?

From: Lara, Alex <Alex.Lara@WestonSolutions.com>
Sent: Thursday, December 06, 2018 4:16 PM
To: Moore, Gary <Moore.Gary@epa.gov>; Don Edgington <dwedgington@aol.com>
Subject: Fwd: FJ Doyle Salvage Removal - 02 December 2018 confirmation samples

No exceedances for the front yard of the blue house.

Alex Lara
Project Scientist
Weston Solutions

Sent from my Verizon, Samsung Galaxy smartphone

----- Original message -----

From: "Walzer, Thomas" <T.A.Walzer@WestonSolutions.com>
Date: 12/6/18 16:11 (GMT-06:00)
To: "Lara, Alex" <Alex.Lara@WestonSolutions.com>
Cc: "Criner, Jeffrey J." <Jeff.Criner@WestonSolutions.com>, "Wright, Jeff" <Jeff.Wright@WestonSolutions.com>
Subject: RE: FJ Doyle Salvage Removal - 02 December 2018 confirmation samples

No exceeds in metals, PAH or Aroclor

Weston Solutions, Inc.

Thomas Walzer

Principal Analyst

Weston Solutions, Inc.

an employee-owned company

5599 San Felipe, Suite 700

Houston, Texas 77056

(713) 985 6641

Broadview extension 1641

(713) 705.1467 Cell

(713) 985.6703 Fax

t.a.walzer@westonsolutions.com

From: Walzer, Thomas
Sent: Thursday, December 06, 2018 14:30
To: Lara, Alex <Alex.Lara@WestonSolutions.com>
Cc: Criner, Jeffrey J. <Jeff.Criner@WestonSolutions.com>; Wright, Jeff <Jeff.Wright@WestonSolutions.com>
Subject: FJ Doyle Salvage Removal - 02 December 2018 confirmation samples - NO Metals analysis

No exceeds in PAH or Aroclor- MISSING METALS Analysis

Weston Solutions, Inc.

Thomas Walzer

Principal Analyst

Weston Solutions, Inc.

an employee-owned company

5599 San Felipe, Suite 700

Houston, Texas 77056

(713) 985 6641

Broadview extension 1641

(713) 705.1467 Cell

(713) 985.6703 Fax

t.a.walzer@westonsolutions.com

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.